

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1-20. (Cancelled)

21. (Original) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, two side walls extending from said base and two flanges extending from said side walls towards one another.

22. (Original) The latch according to Claim 21, wherein said base surface is arcuate along both a longitudinal and lateral axis.

23. (Original) The latch according to Claim 21, wherein one of said flanges including a cut-out enhancing coupling with said rails.

24. (Original) The latch according to Claim 21, wherein said latch including indicia indicating a locked and unlocked position.

25. (Original) The latch according to Claim 24, wherein said latch includes a second indicia indicating direction of movement.

26. (Original) The latch according to Claim 21, wherein said latch comprised of a first member covered by a second member.

27. (Original) The latch according to Claim 26, wherein said first member providing rigidity to said latch.

28. (Original) The latch according to Claim 26, wherein a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.

29. (Original) The latch according to Claim 28, wherein said second member including a second indicia member.

30. (Original) The latch according to Claim 21, wherein said body having an arcuate outer surface enabling manipulation by a user.

31. (Original) The latch according to Claim 26, wherein said second member is a soft material providing a gripping surface.

32. (Original) The latch according to Claim 26, wherein said first member being formed from polypropylene and said second member formed from krayton.

33. (Cancelled)

34. (Original) The tool container according to Claim 32, wherein said mechanism includes two fingers extending from said insert and a V-shaped tool receiving channel,

said two fingers, if necessary, rotating a tool bit to seat a tool bit apex in an apex of said V-shaped tool receiving channel.

35-65. (Cancelled)

66. (Original) The latch according to Claim 29, wherein one of said indicia is in a contrasting color with respect to the other.

67. (Original) The latch according to Claim 66, wherein said first member indicia being yellow and said second member including said second indicia being black.

68. (Cancelled)